TEPEZZA is for adults with Thyroid Eye Disease (TED), no matter if you've had TED for months or years.

TEPEZZA® teprotumumab-trbw

Prepare for your next doctor's appointment

with this TED Conversation Guide

- With your TED, you may struggle with eye symptoms and their impact on your daily life
- Your doctor may not always understand the full impact of your TED symptoms unless you tell them
- Use this **TED Conversation Guide** to assess your TED symptoms and their daily impact to help your doctor determine if TEPEZZA is right for you

EVEN
ONE SYMPTOM
+ EVEN
ONE IMPACT
= **TALK** TEPEZZA® teprotumumab-trbw

OVER
25,000
PATIENTS* treated with TEPEZZA

*Based on 25,062 individual patients enrolled in Amgen By Your Side who received at least one dose of TEPEZZA from 02/05/2020 to 11/14/2025. TED diagnosis is assumed based on initiation of TEPEZZA.

Over the past month, how many of the following TED symptoms have you experienced?

Bulging Eyes | Double Vision | Eye Pain, Swelling | Misaligned Eyes

Pulled-back Eyelids | Blurry Vision | Red, Dry, Gritty Eyes | Watery, Teary Eyes

○ 0 symptoms ○ 1-2 symptoms ○ 3 or more symptoms

IF YOU SELECTED 0, continue to monitor for any of the symptoms listed above. TED symptoms can appear at any time, so talk with your doctor if you notice symptoms starting.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about TEPEZZA?

Infusion reactions can happen during or within 24 hours after your infusion of TEPEZZA. If you have a reaction while receiving TEPEZZA, your doctor or nurse will slow or stop your infusion and treat your reaction. If you have a severe infusion reaction, your doctor may stop your treatment completely.

Please see additional Important Safety Information continued on next page.

Over the past month, how many of the following impacts to daily life have you experienced due to your TED symptoms?

Difficulty completing work-related tasks or activities such as reading or viewing screens due to impact on vision

Trouble with daily activities like walking or driving due to impact on vision

Feeling that your appearance has changed or that your eyes look different in photos

Appearing in photos less often or trying to mask changes in your appearance

Feeling less confident

☐ 0

☐ 1-2

☐ 3 or more

IF YOU SELECTED 0, continue to monitor for any of the impacts above. If symptoms begin to impact your daily life, talk with your doctor.

Symptoms can progress and evolve in different ways and everyone's experience is different. If you are experiencing any symptoms or impacts to daily life that are not reflected above, please record them in the space below to discuss with your doctor:

_____

_____

_____

_____

_____

Eligible commercially insured patients may pay as little as $0* through the Amgen By Your Side Co-Pay Program

*Eligibility criteria and program maximums apply. See amgenbyyourside.com/copaytcs for full terms and conditions. Patients who are residents of Massachusetts or Rhode Island are not eligible for administration support.

Full Terms and Condition can be found at amgenbyyourside.com/copaytcs.

IMPORTANT SAFETY INFORMATION (cont'd)

Tell your doctor or nurse right away if you have any of these symptoms during or after your treatment with TEPEZZA:

- High blood pressure
- Fast heartbeat
- Redness of the face/Feeling hot
- Difficulty breathing
- Headache
- Muscle pain

TEPEZZA® teprotumumab-trbw

Please see additional Important Safety Information continued on next page.

IMPORTANT SAFETY INFORMATION (cont'd)

What is the most important information I should know about TEPEZZA?

TEPEZZA may worsen inflammatory bowel disease (IBD), such as Crohn's disease or ulcerative colitis, even if you don't have a diagnosis of IBD before starting TEPEZZA treatment. Tell your doctor right away if you have worsening IBD symptoms, which may include diarrhea with stomach pain or cramps, blood in your stools, sudden urgency to have a bowel movement, or feeling like you need to have a bowel movement even when there's little or no stool to pass.

TEPEZZA may cause an increase in your blood sugar. Before starting treatment with TEPEZZA, tell your doctor if you are currently being treated for diabetes, know your blood sugar is high, or have been diagnosed with diabetes. It is important for you to take your treatments and follow an appropriate diet for glucose control as prescribed by your doctor.

TEPEZZA may cause severe hearing problems including hearing loss, which in some cases may be permanent. Tell your doctor if you have any signs or symptoms of hearing problems or changes in hearing.

Before receiving TEPEZZA, tell your doctor if you:

- Have inflammatory bowel disease (Crohn's disease or ulcerative colitis).
- Are currently being treated for diabetes, have been diagnosed with diabetes, or know your blood sugar is high.
- Are pregnant or plan to become pregnant. TEPEZZA may harm your unborn baby. Tell your doctor if you become pregnant or suspect you are pregnant during treatment with TEPEZZA.
  - Women who are able to become pregnant should use an effective form of birth control (contraception) prior to starting treatment, during treatment and for at least 6 months after the final dose of TEPEZZA.
- Are breastfeeding or plan to breastfeed. It is not known if TEPEZZA passes into your breast milk. Talk to your doctor about the best ways to feed your baby during treatment with TEPEZZA.
- Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, dietary and herbal supplements. Know the medicines you take. Keep a list of them to show your doctor and pharmacist when you get a new medicine.

What are the possible side effects of TEPEZZA?

The most common side effects of TEPEZZA include muscle cramps or spasms, nausea, hair loss, diarrhea, feeling tired, high blood sugar, hearing problems, taste changes, headache, dry skin, ear discomfort, weight loss, nail problems, and changes in menstruation.

This is not a complete list of all possible side effects. Tell your doctor or treatment team about any side effect you may have.

You are encouraged to report negative side effects of prescription drugs to the FDA.
Visit www.fda.gov/safety/medwatch, or call 1-800-FDA-1088.

USE

TEPEZZA is a prescription medicine used to treat Thyroid Eye Disease (TED), no matter if you've had TED for months or years.

Please see Full Prescribing Information or visit TEPEZZA.com for more information.

AMGEN © 2026 Amgen Inc. All rights reserved. USA-632-81726 08/26

TEPEZZA® teprotumumab-trbw