Karen: Hi, my name is Karen. This is my story.

At first, my eyes started watering really bad and they started swelling. When that happened, it was very scary. You wake up one morning and your eyes are swollen, they're red, and it continues to get worse, there's no relief no matter what you do for yourself, there's no relief. So of course you have to go seek medical attention and at this time you're pretty much in a desperate state because you're experiencing double vision. Double vision of course impedes your daily life. You can't drive, you can't read, you can't walk. That went on for a period of time and then the protrusions started within my right eye.

I went to my eye doctor and I was referred to a specialist. After I went to go see the specialist for my first time, she ran tests on me and explained to me that I had Thyroid Eye Disease.

They found a drug that might help. I was very scared at the beginning. I was very intimidated by needles, but I knew that this was the course of action I had to take to help me get better. To avoid everything else that was on the road for me, such as the steroids and the surgery, the infusions didn't sound so bad and I'll be honest with you, my first encounter with the infusion center, I was very nervous when I initially got there. For me, it wasn't such a bad experience and then three weeks later I went back for the second and it was the same thing and at that point in time, you're there for a couple of hours so you're starting to talk to the people there. They become your family there. They would make me very comfortable. I didn't even think of it as, "Oh my gosh, I'm sitting here getting an infusion. This is terrible." I thought, "Hey, you know, this isn't bad."

They started testing my eyes and they were showing improvement. I went back after the third infusion and I went back to the doctor to get tested and my eyes had receded 2 millimeters. The redness was going away, the swelling was going down, my eye was receding, the double vision went away. I finished out the rest of my infusions, which was a series of 8 and at the end of the eighth one, my eye had receded 5 millimeters, I had no double vision and I couldn't have been more than happy or pleased and I felt so grateful and so blessed that I had been able to receive this.

I was driving okay again. At work, I had no problems at work. I didn't have to have the lights off in the office anymore because I was so light-sensitive that I worked in the dark with only the computer screen. I went out in public. I didn't have to wear sunglasses every time I was going somewhere because I wore them even if it was raining outside. So, I stopped being such an introvert.

My journey with this is a very painful one, but the ending is great, the ending is beautiful. And I have a life, I have a good life.

At this point in time now, they have a drug that's available.

My name is Karen and TEPEZZA worked for me.

INDICATION AND IMPORTANT SAFETY INFORMATION

USE:

TEPEZZA is a prescription medicine used to treat Thyroid Eye Disease.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about TEPEZZA?

Infusion reactions can happen during or within 24 hours after your infusion of TEPEZZA. If you have a reaction while receiving TEPEZZA, your doctor or nurse will slow or stop your infusion and treat your reaction. If you have a severe infusion reaction, your doctor may stop your treatment completely.

Tell your doctor or nurse right away if you have any of these symptoms during or after your treatment with TEPEZZA:

- High blood pressure
- Fast heartbeat
- Redness of the face/Feeling hot
- Difficulty breathing
- Headache
- Muscle pain

If you have inflammatory bowel disease (IBD), such as Crohn's disease or ulcerative colitis, TEPEZZA may make your IBD symptoms worse. Symptoms of worsening IBD may include: an increased number of loose stools with stomach pain or cramps, and blood in your stools. After each TEPEZZA infusion, tell your doctor right away if you have worsening IBD symptoms.

TEPEZZA may cause an increase in your blood sugar. Before starting treatment with TEPEZZA, tell your doctor if you are currently being treated for diabetes, know your blood sugar is high, or have been diagnosed with diabetes. It is important for you to take your treatments and follow an appropriate diet for glucose control as prescribed by your doctor.

Before receiving TEPEZZA, tell your doctor if you:

- Have inflammatory bowel disease (Crohn's disease or ulcerative colitis).
- Are currently being treated for diabetes, have been diagnosed with diabetes, or know your blood sugar is high.
- Are pregnant or plan to become pregnant. TEPEZZA may harm your unborn baby.
 Tell your doctor if you become pregnant or suspect you are pregnant during treatment with TEPEZZA.
 - Women who are able to become pregnant should use an effective form of birth control (contraception) prior to starting treatment, during treatment and for at least 6 months after the final dose of TEPEZZA.
- Are breastfeeding or plan to breastfeed. It is not known if TEPEZZA passes into your breast milk. Talk to your doctor about the best ways to feed your baby during treatment with TEPEZZA.
- Tell your doctor about all the medicines you take, including prescription and over the
 counter medicines, vitamins, dietary and herbal supplements. Know the medicines
 you take. Keep a list of them to show your doctor and pharmacist when you get a
 new medicine.

What are the possible side effects of TEPEZZA?

The most common side effects of TEPEZZA include muscle cramps or spasms, nausea, hair loss, diarrhea, feeling tired, high blood sugar, hearing problems, taste changes, headache, and dry skin.

This is not a complete list of all possible side effects. Tell your doctor or treatment team if you have any side effect that bothers you or that does not go away.

Please visit TEPEZZA.com for more information.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/safety/medwatch, or call the FDA at 1-800-FDA-1088.