

How TEPEZZA works to treat Thyroid Eye Disease, or T-E-D.

Thyroid Eye Disease, or T-E-D, is a serious, vision-threatening condition.

You may have heard Thyroid Eye Disease called Graves' eye disease.

To understand what causes T-E-D, you have to go behind the eye.

In the tissue behind the eye are cells which have receptors on their surface that act like switches.

But when you have T-E-D, your body's immune system attacks this tissue, which causes molecules—known as autoantibodies—to turn these switches on.

This leads to swelling of the muscle and fat.

This swelling can cause a number of symptoms like eye pain, redness in and around your eyes, and swollen eyelids.

The swollen muscle and fat tissue behind the eye can also make the eyes bulge, which your doctor may call proptosis.

And cause double vision, which your doctor may call diplopia.

TEPEZZA is the first and only FDA-approved treatment for Thyroid Eye Disease.

Unlike other medicines, TEPEZZA treats the cause of T-E-D, not just the symptoms.

TEPEZZA is designed to bind to the switch and block it from turning on.

Since TEPEZZA blocks the switches so they cannot turn on, swelling of the muscle and fat tissue goes down.

This leads to reduced bulging and less redness, pain, and swelling of the eyes.

TEPEZZA can also improve double vision and, in some cases, make it completely go away.

TEPEZZA has been proven to improve visual ability and physical appearance.

So, ask your doctor if TEPEZZA is right for you.

Please keep watching to hear Important Safety Information about TEPEZZA.

USE

TEPEZZA is a prescription medicine used to treat Thyroid Eye Disease.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about TEPEZZA?

Infusion reactions can happen during or within 24 hours after your infusion of TEPEZZA. If you have a reaction while receiving TEPEZZA, your doctor or nurse will slow or stop your infusion and treat your reaction. If you have a severe infusion reaction, your doctor may stop your treatment completely.

Tell your doctor or nurse right away if you have any of these symptoms during or after your treatment with TEPEZZA:

- High blood pressure
- Fast heartbeat
- Redness of the face/Feeling hot
- Difficulty breathing
- Headache
- Muscle pain

If you have inflammatory bowel disease (IBD), such as Crohn's disease or ulcerative colitis, TEPEZZA may make your IBD symptoms worse. Symptoms of worsening IBD may include: an increased number of loose stools with stomach pain or cramps, and blood in your stools. After each TEPEZZA infusion, tell your doctor right away if you have worsening IBD symptoms.

TEPEZZA may cause an increase in your blood sugar. Before starting treatment with TEPEZZA, tell your doctor if you are currently being treated for diabetes, know your blood sugar is high, or have been diagnosed with diabetes. It is important for you to take your treatments and follow an appropriate diet for glucose control as prescribed by your doctor.

Before receiving TEPEZZA, tell your doctor if you:

- Have inflammatory bowel disease (Crohn's disease or ulcerative colitis).
- Are currently being treated for diabetes, have been diagnosed with diabetes, or know your blood sugar is high.
- Are pregnant or plan to become pregnant. TEPEZZA may harm your unborn baby. Tell your doctor if you become pregnant or suspect you are pregnant during treatment with TEPEZZA.
 - Women who are able to become pregnant should use an effective form of birth control (contraception) prior to starting treatment, during treatment and for at least 6 months after the final dose of TEPEZZA.
- Are breastfeeding or plan to breastfeed. It is not known if TEPEZZA passes into your breast milk. Talk to your doctor about the best ways to feed your baby during treatment with TEPEZZA.
- Tell your doctor about all the medicines you take, including prescription and over the counter medicines, vitamins, dietary and herbal supplements. Know the medicines you

take. Keep a list of them to show your doctor and pharmacist when you get a new medicine.

What are the possible side effects of TEPEZZA?

The most common side effects of TEPEZZA include muscle cramps or spasms, nausea, hair loss, diarrhea, feeling tired, high blood sugar, hearing problems, taste changes, headache, and dry skin.

This is not a complete list of all possible side effects. Tell your doctor or treatment team if you have any side effect that bothers you or that does not go away.

Please visit TEPEZZA.com for more information.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/safety/medwatch, or call the FDA at 1-800-FDA-1088.